


NEI-22/19/6

Effective Core Parameters:

S I/A	1,13	mm ⁻¹
Le	41,3	mm
Ae	36,6	mm ²
Amin	---	mm ²
Ve	1511,0	mm ³

Weight Approx. (piece) 8,5 g



Dimensions in mm

WITH GAP

DESCRIPTION ORDER	MATERIAL	Al [nH]	Tol.%	~g [mm]	~ μe
NEI-22/19/6-110-IP6	IP6	110	±10	0,62	98,9
NEI-22/19/6-170-IP6	IP6	170	±10	0,3	152,9
NEI-22/19/6-170-IP12R	IP12R	170	±10	0,3	152,9
NEI-22/19/6-190-IP6	IP12R	190	±10	0,2	170

WITHOUT GAP

DESCRIPTION ORDER	MATERIAL	Al [nH]	Tol.%	~g [mm]	~ μe
NEI-22/19/6-1250-IP6	IP6	1250	+30 / -20	---	1124
NEI-22/19/6-1250-IP12R	IP12R	1250	+30 / -20	---	1124

Others AL's by consulting