

THORNTON


Thornton
Eletrônica Ltda

NEF-20/10/6

Effective Core Parameters:

SI/A	1,45	mm ⁻¹
Le	46,27	mm
Ae	31,92	mm ²
Amin	31,64	mm ²
Ve	1476,99	mm ³

Weight Approx. (piece) 3,78 g



WITH GAP

DESCRIPTION ORDER	MATERIAL	Al [nH]	Tol.%	~g [mm]	~ µe
NEF-20/10/6-GAP 0,5-IP12R	IP12R	---	---	0,50	---
NEF-20/10/6-GAP 0,5-IP12E	IP12E	---	---	0,50	---
NEEF-20/10/6-43-IP12R	IP12R	43	± 8	1,70	49
NEEF-20/10/6-43-IP12E	IP12E	43	± 8	1,70	49
NEEF-20/10/6-63-IP12E	IP12E	63	± 8	0,95	71
NEEF-20/10/6-65-IP12R	IP12R	65	± 7	0,95	74
NEEF-20/10/6-65-IP12E	IP12E	65	± 7	0,95	74
NEEF-20/10/6-67-IP12R	IP12R	67	± 5	0,94	76
NEEF-20/10/6-70-IP12R	IP12R	70	± 5	0,90	80
NEEF-20/10/6-70-IP12E	IP12E	70	± 5	0,90	80
NEEF-20/10/6-78-IP12R	IP12R	78	± 8	0,85	88
NEEF-20/10/6-80-IP12E	IP12E	80	± 10	0,85	91
NEEF-20/10/6-100-IP12R	IP12R	100	± 8	0,55	114
NEEF-20/10/6-100-IP12R	IP12R	100	± 10	0,55	114
NEEF-20/10/6-100-IP12E	IP12E	100	± 10	0,55	114
NEEF-20/10/6-134-IP12E	IP12E	134	± 10	0,40	154
NEEF-20/10/6-140-IP12E	IP12E	140	± 10	0,38	161
NEEF-20/10/6-172-IP12R	IP12R	172	± 10	0,20	196
NEEF-20/10/6-290-IP12R	IP12R	290	± 15	0,12	330
NEEF-20/10/6-290-IP12E	IP12E	290	± 15	0,12	330
NEEF-20/10/6-320-IP12R	IP12R	320	± 15	0,11	369

WITHOUT GAP

DESCRIPTION ORDER	MATERIAL	Al [nH]	Tol.%	~g [mm]	~ µe
NEEF-20/10/6-1500-IP12E	IP12E	1500	± 25	---	1706
NEEF-20/10/6-1500-IP12R	IP12R	1500	± 25	---	1706
NEEF-20/10/6-2500-TH50	TH50	2500	± 25	---	2844

Others AL's by consulting